Fall, 1909-Spring, 1910

WHOLESALE PRICE-LIST

Kelsey's Rhododendrons Azaleas and other Strictly Hardy American Plants

Grown in the Carolina Mountains at 3,800 feet elevation

HIGHLANDS NURSERY, "Kawana," Saginaw P. O.

North Carolina

and SALEM BRANCH NURSERY, Salem, Mass.



Rhododendron catawbiense. The Highlands Nursery way of growing bushy clumps, 15 to 50 stems Photographed at our Salem Branch Nursery

TERMS

ce from unknown parties.

Send for List of Surplus Stock VERY SPECIAL PRICES

held liable for damage in transit.

Always address,

HARLAN P. KELSEY, Owner
Cable Address
KELMONT-SALEM
SALEM, MASS., U. S. A.

Information

HIGHLANDS NURSERY SHIPMENTS are made from Pineola, N. C., freight station, and prices in this list are made on this basis. Freight and express rates gladly quoted. Via Norfolk Steamship Lines, deliveries to northern and eastern points are quick and rates low.

SALEM BRANCH NURSERY SHIPMENTS are made from Salem direct, and our special price-list must be used in ordering. Prices are about 25 per cent higher than for similar stock at our main Highlands Nursery. A fine stock of specimen Rhododendrons, Azaleas, Conifers, etc., may be seen at Salem Branch Nursery, and deliveries to eastern points rarely take more than a day or two.

SHIPMENTS OF "COLLECTED" RHODODENDRON MAXIMUM AND KALMIAS are from our special fields in Pennsylvania and the South, depending on destination and quality of stock desired. The best clumps come from the South from high altitudes.

"COLLECTED" RHODODENDRON CATAWBIENSE AND RHO-DODENDRON PUNCTATUM come only from the South.

OUR NURSERIES ARE UNIQUE, being the first and only to grow Native American Ornamentals, and we now have the only large and complete stock of Hardy American plants in existence.

THE LOCATION OF HIGHLANDS NURSERY also is unique, an elevation of 3,800 feet insuring unquestioned hardiness.

SHIPPING BEGINS IN SEPTEMBER, when we send out large Rhododendrons, Kalmias and other evergreens, and bulbs and herbaceous plants, general stock going out in October and November and in spring from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to us. We use our best judgment, but assume no risk.

OUR EXPORT SHIPMENTS reach the most remote countries in perfect condition; we have exported for over 25 years and know how to pack.

DESCRIPTIVE ILLUSTRATED CATALOGS free on request, and advice on the right way to grow Rhododendrons, Azaleas and other native plants gladly given.

HARLAN P. KELSEY, Owner

Cable Address KELMONT-SALEM

SALEM, MASS.

September and October is the time to successfully ship and plant Lilies, Trilliums and Cypripediums

SEND FOR SPECIAL BULB LIST

Trees, Shrubs and Vines

DECIDUOUS AND EVERGREEN

NOTE-Cl., Denotes Clumps; S., Seedlings; Col., Collected. All other plants are transplanted and nursery-grown.

Bear in mind this is a catalog of Nursery-grown plants and not a list of plants that might be collected. Over 100 acres in nursery.

Abies balsamea. 2 to 3 ft\$3 00	100	1,000
3 to 4 ft 4 00		
concolor. 1 to 2 ft	\$20 00	
douglash. See Fseudotsuga.	4.00	400 00
fraseri. 6 to 12 in	4 00 8 00	\$32 00 60 00
2 to 3 ft	0 00	00 00
3 to 4 ft 4 50		
	5 00	
pennsylvanicum. 1 to 2 ft 75	6 00	
2 to 3 ft 1 50	12 00	
3 to 4 ft	16 00	
4 to 5 ft	24 00 1 50	10 00
1 to 2 ft	3 00	18 00
2 to 3 ft 50	4 00	30 00
3 to 4 ft 75	6 00	
4 to 6 ft 1 00	8 00	
6 to 8 ft	16 00	
spicatum. 6 to 12 in	6 00	48 00
2 to 3 ft 1 50	12 00	30 00
Adelia acuminata. 2 to 3 ft 3 00		
AEsculus octandra. 1 to 2 ft	3 00	
2 to 4 ft 75	6 00	
Alnus alnobetula (viridis). 2 to 3 ft 75	6 00	
3 to 4 ft	8 00	
4 to 6 ft	15 : 0	
6 to 8 ft 3 00	24 00	
6 to 8 ft. 3 00 rugosa (serrulata) 3 to 4 ft. 1 50 4 to 6 ft. 2 00	12 00	
4 to 6 ft	15 00	
6 to 8 ft 4 00	30 00	
Amelanchier botryapium. 6 to 12 in	4 00	
1 to 2 ft	6 00 8 00	
3 to 4 ft	12 00	
4 to 6 ft 2 00	15 00	
canadensis. 2 to 3 ft 2 00		
Amorpha fruticosa. 1 to 2 ft 40	3 00	
2 to 3 ft 60	4 00	
montana. 1 to 2 ft 2 50		
Ampelopsis. See Parthenocissus.		
Andromeda arborea. See Oxydendrum.		
catesbaei. See Leucothoe.		
floribunda. 6 to 12 in 6 00	48 00	
12 to 1× in. Cl	80 00	
18 to 24 in. Cl	120 00	
ligustrina. See Xolisma. mariana. See Pieris.		
racemosa. 12 to 18 in 1 50	10 00	
	12 00	
Aralia spinosa. 2 to 3 ft	8 00	
		70.00
Aristolochia sipho. 6 to 12 in	6 00 10 00	50 00
Aronia (Pyrus) arbutifolia. 6 to 12 in	6 00	
1 to 2 ft	10 00	
1 to 2 ft. 1 25 erythrocarpa. Dwarf. 2 to 3 ft. 1 50 3 to 4 ft. 2 00 erythrocarpa. Tall variety. 1 to 2 ft. 1 50	12 00	
3 to 4 ft		
erythrocarpa. Tall variety. 1 to 2 ft 1 50		
2 to 3 ft		
2 to 3 ft 3 00		
nigra. 1 to 2 ft 75	5 00	40 00
nigra. 1 to 2 ft	10 00	
5 to 4 ft. Ch 2 50	20 00	
Ascyrum hypericoides. 6 to 12 in. Cl 2 00		

TREES, SHRUBS AND VINES. contin			
	r 10	100	1,000
6 to 12 in\$1	00	\$12 00 18 00	\$95 00 160 00
12 to 18 in	4848	25 00	200 00
2 to 3 ft	00	65 00	
12 to 18 in. Cl	00	50 00 100 00	
2 to 3 ft. Cl	00	200 00	
18 to 24 tit. 8 2 to 3 ft. 8 12 to 18 in. Cl. 6 18 to 24 in. Cl. 12 2 to 3 ft. Cl. 25 3 to 4 ft. Cl. 40 canescens. 12 to 18 in. 2	50	325 00 20 00	
calendulacea. See A. lutea.	30	20 00	
calendulacea. See A. lutea. lutea (calendulacea). Great Flame Azalea. 6 to 12 in		-	
6 to 12 in	75	8 00 15 00	130 00
18 to 24 in	50	18 00	160 00
12 to 18 in		35 00	300 00
12 to 18 in Cl	50	60 00 22 00	4
18 to 24 in. Cl 4	50	40 00	350 00
2 to 3 ft, Cl		65 00 150 00	
4 to 5 ft. Cl\$3 to (
2 to 3 ft	3000	8 00	
12 00 10 11	50	12 00 20 00	
2 to 3 ft		30 00	
12 to 18 in. Cl	11.0	25 00 35 00	
2 to 3 ft. Cl		50 00	
18 to 24 in. 2 2 to 3 ft. 3 ft. 3 12 to 18 in. Cl 3 18 to 24 in. Cl 4 2 to 3 ft. Cl 5 3 to 3/5 ft. Cl 6 2 to 3 ft. Cl 7 2 to 18 in. 12 2 to 18 in. 12 2 to 18 in. 18 to 24 in. 19			
vaseyi. 6 to 12 in	2 50	14 00 20 00	
18 to 24 in,	1 50	36 00	
2 to 2½ ft	00 5 00	70 00 40 00	
12 to 18 in, Cl	8 00	65 00	
	1 00	8 00	
12 to 18 in	1 25 2 50	10 00 20 00	
12 to 18 in. 18 to 24 in. 6 to 12 in. Cl. 12 to 18 in. Cl. 18 to 24 in. Cl.	1 50	12 00	
12 to 18 in. Cl	3 00	28 00	
18 to 24 in. Cl	7 00		
	1 00	12 00	
MOHEOTH (MILLIONE) BOLLEON	2 00	16 00	
4 to 5 It	1 00		
	2 50	8 00	
CALLETAN CA STATE TO DE TO TO THE STATE OF T	1 50	12 00	
3 to 4 ft	3 00		00 00
vulgaris. 6 to 12 in	50 75	4 00 6 00	32 00
vulgaris. 6 to 12 in. 1 to 2 ft. 2 to 3 ft.	1 25	10 00	
Betula alba. 3 to 4 ft	1 25		
4 to 6 ft	2 00 50	4 00	
lenta. 1 to 2 ft	75	6 00	
4 to 6 ft	1 25	10 00	
6 to 8 ft 8 to 10 ft	$\frac{2}{4} \frac{00}{00}$	16 00 2 00	
Inten 9 to 4 ft	75	6 00	
4 to 6 ft	$\frac{1}{2} \frac{25}{00}$	10 00	100 00
8 to 10 ft	3 50	28 00	200 00
4 to 6 ft. 6 to 8 ft. 8 to 10 ft. papyrifera. 2 to 3 ft.	75	6 00	
	1 25	10 00 6 00	
Butneria (calycanthus) fertilis. 1 to 2 ft 2 to 3 ft. Cl	1 00	8 00	
3 to 4 ft. Cl	2 00		40.00
noridus. 1 to 2 ft	75 1 50	6 00	40 00 75 00
floridus. 1 to 2 ft. 2 to 3 ft. Cl. 3 to 4 ft. Cl.	2 00		
Bignonia crucigera. 6 to 12 in	75	6 00	48 00
Cacti. Hardy species as below-			
Cactus missouriensis, Echinocactus Simpsonii, Echinocereus viridiflorus,			
Simpsonii, Echinocereus viridiflorus, Opuntia arenaria, O. camanchia, O.			
major. O. mesacantha cymochilla. O.	3 00	25 00	
mesacantha greenii, O. polyacantha Echinocactus "Perpetual Snow"	5 00	-	
Calycanthus. See Butneria.			

TREES, SHRUBS AND VINES, continued		
Carninus caroliniana (amariana)	100	1,000
Carpinus caroliniana (americana). 1 to 2 ft. \$\\$ 50 2 to 3 ft. \docs 75	\$4 00 6 00	
3 to 4 ft 1 25	10 00	\$80 00
4 to 6 ft 1 75	14 00	100 00
3 to 4 ft. 1 25 4 to 6 ft. 1 75 6 to 8 ft. 2 50 Castanea pumila, Chinkapin. 6 to 12 in. S. 50	20 00	150 00
12 to 18 in. S	4 00 8 00	30 00 60 00
6 to 12 in 1 50	12 00	00 00
12 to 18 in		
Catalpa speciosa. 2 to 3 ft. 50 3 to 4 ft. 60	4 00 5 00	
4 to 0 II	6 00	
Ceanothus americanus. 6 to 12 in	6 00	
Cebatha carolina. 4 to 12 in 75	6 00	
Celastrus punctata. 6 to 12 in. S 50	4 00	30 00
1 to 2 ft	6 00	
scandens. 6 to 12 in	8 00 5 00	
1 to 2 ft 75	6 00	
Cephalanthus occidentalis, 1 to 2 ft 1 00	8 00	
2 to 3 it 1 50	12 00	
Cerasum (Prunus) virginicum. 4 to 6 ft 1 00	16 00	
Cercis canadensis. 6 to 12 in 50	4 00	
1 to 2 ft	6 00	
Unamaedaphne (Andromeda) calvoulata.		
12 to 18 in. Cl	12 00	
Chamaecyparis sphaeroidea. 1 to 2 ft 1 50	20 00	
Chionanthus virginica. 1 to 2 ft 1 00	8 00	64 00
2 to 3 ft 1 75	14 00	110 00
3 to 4 ft 2 25	18 00	
3 to 4 ft. 225 4 to 6 ft. 450 Clethra acuminata. 1 to 2 ft. 75	36 00	
2 to 3 ft	6 00 8 00	
	14 00	
4 to 6 ft	20 00	
alnifolia. 1 to 2 ft. Cl. 1 50 2 to 3 ft. Cl. 2 50 3 to 4 ft. Cl. 6 00	12 00 20 00	
3 to 4 ft. Cl 6 00	50 00	
Cintolia ngusuma. 1 to 21t 6 00		
Comptonia peregrina (asplenifolia). 1 to 2 ft. 75	6 00	
Cornus alternifolia. 1 to 2 ft	4 00 8 00	
amomum. 2 to 3 ft	6 00	
3 to 4 ft	10 00	
2 to 3 ft. 100 amonum. 2 to 3 ft. 75 3 to 4 ft. 125 4 to 6 ft. 150 paniculata. 2 to 3 ft. 125 sanguinea. 1 to 2 ft. 100	12 00 10 00	
sanguinea. 1 to 2 ft 1 00	10 00	
	10 00	
3 to 4 ft		
stolonifera. 1 to 2 ft 1 00		
Corylus americana. 1 to 2 ft. Cl	6 00	
2 to 3 ft. Cl	9 00	
1 to 2 ft	6 00	
2 to 3 ft	10 00	
Crataegus coccinea. 1 to 2 ft	8 00	
2 to 3 ft 1 25	10 00 14 00	
crus-galli. 1 to 2 ft	8 00	
210 311	12 00	
3 to 4 ft	16 00 2 50	20 00
1 to 2 ft. S 50	4 00	30 00
2 to 3 ft. S 75	6 00	45 00
3 to 4 ft. S	8 00	
2 to 3 ft 1 00	8 00	
3 to 4 ft	14 00	
4 to 5 ft	24 00	
Cupressus arizonica. 1 to 2 ft. S. 3 50 2 to 2½ ft. S. 5 00	28 00	
Decodon (Nesaea) verticillatus. Light 1 25	10 00	
Dendrium (Leiophyllum) buxifolium.		
6 to 12 in 75	6 00	
12 to 18 in 1 50	12 00	

TREES, SHRUBS AND VINES,	continued		
	Par 10	100	1,000
Dendrium prostratum. 3 to 6 in. Cl 6 to 9 in. Cl	2 00	\$12 00 16 00	
Diagnilla diagnilla (trifida). 6 to 12 to	1 (10)	8 00	
12 to 18 in	1 50	12 00	
12 to 18 in. rivularis. 2 to 3 ft. Cl. sessilifolia. 1 to 2 ft. 2 to 3 ft.	1 00	8 00	
Diospyros virginiana. 6 to 12 in	6)	6 00	
Euonymus americanus. 2 to 3 ft	1 50	12 00	
3 to 4 ft	2 50	8 00	
Fraxinus Americana. 1 to 2 ft,	50	4 00	
4 to 6 ft	1 00	8 00	
4 to 6 ft	1 25	10 00 4 00	\$30 00
lanceolata (viridis). 2 to 4 ft	1 25	10 00	80 00
6 to 8 ft. oregona. 1 to 2 ft.	2 50	14 00	
oregona. 1 to 2 ft.	2 50		
2 to 3 ft	2 00		
Gaylussacia resinosa. 1 to 2 ft	1 25	10 00	
ursina. 1 to 2 ft	2 50	20 00	
Halesia. See Mohrodendron. Hamamelis virginica. 1 to 2 ft	1 00	8 00	
2 to 3 ft	1 50	12 00	
3 to 4 ft 4 to 6 ft	3 00	16 00 24 00	
Humulus lupulus	75	5 00	40 00
Hydrangea arborescens. 6 to 12 in	1 00	8 00	
1 to 2 ft	I 50	12 00	
2 to 3 ftradiata. 6 to 12 in	2 00		
1 to 2 ft.	2 00	1/4/1/10	
Hypericum aureum. 1 to 2 ft	1 00	8 00 12 00	
3 to 4 ft	2 00	16 00	-
3 to 4 ft	50	6 00	30 00 50 00
3 to 4 ft	1 20		00 00
prolificum. 1 to 2 ft.	1 00	8 00 12 00	
prolificum. 1 to 2 ft	2 00		
Ilex decidua. 6 to 12 in	75 1 25	6 00	
2 to 3 ft	1 75	14 00	
2 to 3 ft	75	6 00	
2 to 3 ft	1 00	8 00 12 00	
	0 50		
onaca. American Holly 6 to 12 in	4 00	12 00	
12 to 18 in,	2 00	16 00	
18 to 24 in	3 50	30 00 48 00	
3 to 4 ft	10 00	8 00	
verticillata. 1 to 2 ft	1 75	15 00	
2 to 3 ft. Cl	2 50	20 00	
4 to 6 ft. 6 to 8 ft. opaca. American Holly. 6 to 12 in. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. verticillata. 1 to 2 ft. 2 to 3 ft. Cl. Itea virginica. 6 to 12 in. 1 to 2 ft.	75 1 25	6 00	
2 to 3 ft	1 75	20 00	
Jamesia americana. 6 to 12 in	2 50		
Juniperus sabina. 6 to 12 invirginiana. 3 to 4 ft	3 50	8 00	
Kalmia angustifolia. 6 to 12 in. Cl	2 00	. 16 00	
12 to 18 in. Cl	3 00	24 00	
Nursery-grown 3 to 6 in.	40	3 00	20 00
6 to 9 in	75	5 00	35 00
6 to 9 in 9 to 12 in 12 to 18 in	1 25	8 00 12 50	60 00 100 00
		25 00	200 00
2 to 3 ft	5 00	40 00	-15 00
ULU JIII	00000	2 50	20 00
9 to 12 in	10	4 00 7 00	30 00 50 00
18 to 24 in	1 50	10 00	80 00

TREES, SHRUBS AND VINES, continued

Don't	10 100	1 000
Kalmia latifolia. Clumps. 9 to 12 in\$3 5		1,000
12 to 18 in 5 (00 40 00	
18 to 24 in	50 70 00 50 140 00	
18 to 24 in		\$225 00
18 to 24 th	00 45 00	400 00
	00 70 00	600.00
Larix laricina (americana). 3 to 4 ft	50 20 00	
6 to 8 ft		
Ledum groenlandicum. 12 to 18 in 1 5		
Leiophyllum. See Dendrium.		
Leucothoe (Andromeda) catesbaei.		
Bushy Plants. 6 to 12 in	5 6 00	50 00
12 to 18 in	25 10 00 00 16 00	80 00
Collected Plants. 6 to 12 in	50 3 50	25 00
12 40 10 111 1 1	00 6 00	50 00
18 to 24 in	50 9 00 25 18 00	70 00
12 to 18 in	00 24 00	190 00
18 to 24 in 3 5	30 00	PF 00
Collected Clumps. 6 to 12 in	75 15 00 00 12 00	75 00 100 00
18 to 24 in 3 0	0 20 00	175 00
recurva. 0 to 12 in	5 6 00	
	25 10 00 3 00	05.00
	5 6 00	25 00 45 00
3 to 4 ft	00 8 00	
regelianum. 1 to 2 ft	3 00	25 00
	5 6 00 25 10 00	45 00
Lindera. See Benzoin.	20 00	
	60 10 00	
4 to 6 ft 2 5	50	
0 to 8 ft	50	
Liriodendron tulipifera. 2 to 3 ft		
4 to 6 ft		
6 to 8 ft		
Lonicera dioica. 2 to 3 ft 1 0		
	0 10 00	00.00
Strong 7	0 4 00 5 6 00	30 00 50 00
sempervirens. 6 to 12 in	00 8 00	100
1 to 2 ft 1 5		
	0 4 00	
	5 6 00 8 00	
2 to 3 ft	0 12 00	
3 to 4 ft 2 0	00 16 00	
4 to 6 ft	60 20 00	
glauca thompsoniana. 1 to 2 ft 2 0	00 16 00	
2 00 0 10	60 12 00	
2 to 3 ft	00 12 00	
3 to 4 ft 2 5	60 20 00	
Malus (Pyrus) coronaria, 1 to 2 ft 2 (00 16 00	
	50	
Menziesia pilosa. 1 to 2 ft	00 8 00	
2 to 3 ft. Cl 3 0		
Mohrodendron carolinum (Halesia tetrap-		
tera). 1 to 2 ft 1 2	25 10 00	
2 to 3 ft	5 14 00 0 20 00	
Myrica cerifera. 6 to 12 in	5 6 00	48 00
12 to 18 in 1 5		
Nesaea. See Decodon.		
Nyssa multiflora. 6 to 12 in 2 0	***	
1 to 2 ft		
Ostrya virginica. 1 to 2 ft		
2 to 3 ft 1 5	0 12 00	
3 to 4 ft 2 0	0	

TREES, SHRUBS AND VINES, continue		
Oxydendrum (Andromeda) arboreum.		1,000
3 to 6 in\$0 78	\$6 00 8 00	\$48 00 65 00
	12 00	95 00
1 to 2 ft		
Parthenocissus (Ampelopsis) engelmanni.	1000	
2-year		45 00 70 00
virginica. Strong	6 00	
Pices canadensis (alba), 6 to 12 in 1 00	8 00	
1 to 2 ft		
mariana (nigra). 1 to 2 ft		
3 to 4 ft	20 00	
pungens (seedlings). 12 to 18 in	45 00	
2 to 3 ft)	
Pieris floribunda. See Andromeda. mariana. 1 to 2 ft. Cl	16 00	
2 to 3 It. Cl		
Pinus banksiana. 8 to 10 ft,	4 00	30 00
12 to 18 in. S		45 00 60 00
divaricata, 4 to 12 in. S. 5 12 to 18 in. S. 7 6 to 12 in. 1 00 1 to 2 ft. 1 5 2 to 3 ft 2 200 3 ft 2 200 3 ft 3 ft	12 00	90 00
flexilis, 6 to 12 in		
mitig. 1 to 9 ft		
mitis. 1 to 2 ft. 2 56 ponderosa. Western Yellow Pine. 1 to 2 ft. 2 56 pungens. Table Mountain Pine. 1 to 2 ft		
2 to 3 ft	12 00	90 00
4 to 6 ft	28 00	
rigida. 6 to 12 in		90 00
Tigitia	8 00	60 00
2 to 3 ft	28 00	400 00
4 to 6 ft. 6 50 6 to 8 ft. 15 00	0 00	400 00 800 00
Printig hassayi. 1 to 2 ft		
2 to 3 ft	12 00	
pumila. 1 to 2 ft		
Pseudotsuga taxifolia (Abies douglasii).	6 00	48 00
6 to 12 in	14 00	110 00
2 to 2% ft		
3 to 4 ft	5 00	
4 to 6 ft	8 00	
Pyrus americana. See Sorbus. arbutifolia. See Aronia. coronaria. See Malus.		
nigra. See Aronia.		
Quercus alba. 6 to 12 in. 75 1 to 2 ft. 1 00 bannesteri. 1 to 2 ft. 2 00		
bannesteri. 1 to 2 ft		
9 50	28 00	200 00
6 to 8 ft	40 00	
4 to 6 ft. 500 6 to 8 ft. 500 laurifolia. 6 to 12 in. 200 macrocarpa. 2 to 3 ft. 25 6 3 to 4 ft. 350 palustris. 3 to 4 ft. 156		
palustris. 3 to 4 ft	12 00	
6 to 8 ft	28 00	
2 10 3 11		
3 to 4 ft. 4 00 rubra. 2 to 4 ft. 2 00		
4 10 6 11	30 00	
Rhamnus caroliniana (alnifolia). 2 to 3 ft 1 00		
3 to 4 ft		

8

TREES, SHRUBS AND VINES, continued

RHODODENDRON CATAWBIENSE

This is not the common imported "seedling Catawbiense" so-called, which is a half-hardy hybrid with little true Catawbiense blood in it. The true Catawbiense grows only in the high southern Alleghenies and is the finest of all Rhododendrons considering its extreme hardiness and remarkable texture of foliage-a deep shiny green, far superior to Maximum.

For massing there is no hardy broad-leaved evergreen equal to it for the northern United States. It is a free-bloomer, with large, bright red-purple trusses, in marked contrast to the blue-purple of the half-hardy hybrid noted before—All plants are bushy with balls (except collected seedlings) and clumps have diameter corresponding to height with many stems, and are mostly heavily budded. The larger clumps for center of mass-planting should not be feathered to the ground for best effects, but have thick bushy tops. Special selections are charged for extra and we can supply perfect specimens for any situation.

Rhododendrons are the basis of any successful mass planting for winter effects. If you don't know how to advise your customers so they may grow them successfully as common shrubs, write us. There is a secret, and 24 years' experience in growing cricaceous plants enables us to "tell how." Our stock cannot be duplicated elsewhere in quantity or quality. Freight rates from southern points are reduced and we gladly quote you to any point, and give the information you want about "car-lots." For massing there is no hardy broad-leaved evergreen equal to it for

quality. Freight rates from southern points are reduced and we gladly quote you to any point, and give the information you want about "car-lots."

Rhododendron catawbiense.	Per		10	0	1.0	000
Nursery-grown, Bushy Plants. 3 to 6 in	\$0	50	\$4 (00	\$30	
6 to 9 in	1	00	8 0		65	
9 to 12 in	1	50	12 0		95	
12 to 18 in	2	25	18 0		160	00
18 to 24 in	0	40	28 0		15	00
Collected Plants, 3 to 6 in		75	5 0		40	
6 to 9 in 9 to 12 in		00	7 0		60	
12 to 18 in		50	10 0		85	
Nursery-grown Clumps. 6 to 9 in			20 0		1	
9 to 12 in	3	50	30 0	00		
12 to 18 in	7	50	60 0	00	480	00
18 to 24 in	12	00	100 0		900	
2 to 3 ft	20	00	160 0		1250	00
3 to 4 ft	35	00	300 0		- 7	
4 to 5 ft	40	95	20 0	DW1		00
Collected Clumps. 9 to 12 in,	A	00	35 (180 325	
12 to 18 in	6	50	60 0		450	
2 to 3 ft	10	00	90 0		800	
3 to 4 ft	20	00	180 0			
4 to 5 ft	40	00	350 0			~~
maximum. Nursery-grown, Bushy Plants.						
3 to 6 in		40	2 5		20	
6 to 9 in		60	4 5		30	
9 to 12 in		00	7 0		60	
12 to 18 in			12 5		100	
18 to 24 in		00	40 0		180	00
2 to 3 ft		00	1.5		15	00
6 to 9 in		50	2 5		20	
9 to 12 in		75	4.0	0	35	00
12 to 18 in		00	7 0	-	50	
18 to 24 in	1	50	10 0		90	00
Nursery-grown Clumps. 9 to 12 in	3	50	30 0 45 0			
12 to 18 in		00	70 0			
18 to 24 in		50	115 0			
3 to 4 ft	30		1			
Collected Clumps. 12 to 18 in	3	50	30 0	0	240	00
18 to 24 in	5	00	45 0		400	00
2 to 3 ft	9	00	70 0		600	
3 to 4 ft	16	00	140 0		1000	00
4 to 5 ft	30	00	200 0			
5 to 6 ft	50	00	400 0	10		
punctatum. Nursery-grown Plants.	1	25	10 0	0		
9 to 12 in		00	15 0			
12 to 18 in		00	25 0	U		
18 to 24 in	5	00	40 0	0		
Nursery-grown Clumps. 12 to 18 in	8	00	60 0			
12 to 24 in	15	00	120 0			
2 to 3 ft	30	00	240 0	P()		
3 to 4 ftvaseyi. See Azalea vaseyi.	00	00				
	0	00				
Rhodora canadensis. 6 to 12 in			4 0	10		
Rhodotypus kerrioides. 6 to 12 in		50	4 0	10		

TREES, SHRUBS AND VINES, continu	ed	
Per:		1,000
Rhus aromatica. 6 to 12 in	50 \$12 00	
12 to 18 in	50 20 00 75 6 00	
1 to 2 ft	25 10 00	
2 to 3 ft 1 7	75 14 00	
2 to 3 ft	00	
hirta. 1 to 2 ft	00 8 00	
0 00 * 201111111111111111111111111111111	50 12 00	,
	00 8 00	V V
prostratum. 6 to 12 in	00 8 00	
1 to 2 ft 1 5	50 12 00	
rotundiona. 2 to 3 ft	50	
Robinia hispida. 1 to 2 ft	75 6 00	
	00 8 00 50 12 00	
1 to 2 ft	50 20 00	
roses. 6 to 12 in	25 10 00	
	50	
3 to 4 ft	00 50	
	50	
blanda. 6 to 12 in 1 6	00 8 00	
1 to 2 ft 1 2	25 10 00	
carolina. 6 to 12 lil	50 4 00 75 6 00	\$30 00 48 00
2 to 2½ ft	00 8 00	
humilis. 6 to 12 in 7	5 6 00	
	5 10 00	
	5 10 00	
	00 8 00	
1 to 2 ft 2 0		
nutkana. 6 to 12 in 2 0	00	
pesocarpa. 1 to 2 ft	5 6 00	
2 to 3 ft		
setigera. 2 to 3 ft 1 0		
nutkana. 6 to 12 in. 2 0 pesocarpa. 1 to 2 ft. 2 0 rugosa. 1 to 2 ft. 7 2 to 3 ft. 1 2 setigera. 2 to 3 ft. 1 0 woodsii. 6 to 12 in. 2 5	10	
Rubus canadensis. Strong 5	0 4 00	30 00
cuneifolius. 12 to 18 in		
lacinistus, 1 to 2 ft		
odoratus. 6 to 12 in 5		30 00
1 to 2 ft 7	5 6 00	50 00
dumetorum. 1 to 2 ft. 2 5 laciniatus. 1 to 2 ft. 2 0 odoratus. 6 to 12 in. 5 1 to 2 ft. 7 2 2 to 3 ft. 1 2 2 spectabilis. 6 to 12 in. 2 6		
Specialization of the fact that the second of the second o		18 00
Sambucus canadensis. 1 to 2 ft. Col		10 00
Z 10 5 II 2 V		
Sassafras officinale. 2 to 3 ft 2 5		
3 to 4 It 3 0		
4 to 5 ft		
2 to 3 ft		
3 to 4 ft 2 0		
4 to 6 ft 3 0		
Spiraea opulus. 1 to 2 ft		
2 to 3 ft		
salicifolia. 2 to 3 ft. Cl		
3 to 4 ft. Cl 1 0	0 8 00	
3 to 4 ft. Cl. 1 0 4 to 5 ft. Cl. 2 0		
tomentosa. 1 to 2 ft. 1 0 2 to 2 6 ft. 1 5		
tomentosa alba. 1 to 2 ft		
2 10 2% 11 2 0		
Sterculia plantanifolia. 1 to 2 ft 1 5		
2 10 4 IL	~	
Stuartia pentagyna 6 to 12 in		
1 to 2 ft		
3 to 4 ft	0 40 00	
1 to 2 ft.		
Symphoricarpus racemosus. 0 to 12 in		
symphoricarpus (vulgaris). 1 to 2 ft 7		
	0 8 00	
Tecoma (Bignonia) grandiflora. Strong 2 50		
radioans 8 to 19 in	5 6 00	

TREES, SHRUBS AND VINES, continued		
Thuia occidentalis. 1 to 2 ft	100 \$4 00	1,000 \$30 00
Thuja occidentalis. 1 to 2 ft	8 00	60 00
2 to 3.ft. 1 00 3 to 4 ft. 1 50 4 to 6 ft. 2 50	12 00	90 00
4 to 6 ft	20 00 30 00	160 00
6 to 8 ft	30 00	
4 to 6 ft 3 (N)		
Tsuga canadensis. Hemlock. 6 to 12 in. 75 12 to 18 in. 1 00 18 to 24 in. 2 00 20 00 2 50	6 00 8 00	45 00 65 00
18 to 24 m	16 00	140 00
	28 00	250 00
3 to 4 ft. 6 00 4 to 5 ft	50 00 80 00	450 00 700 00
5 to 6 ft	120 00	100 00
6 to 7 ft	200 00	
6 to 7 ft	40 00	
2 to 3 ft	100 00	
3 to 4 ft. 25 00 4 to 5 ft. 40 00	200 00 320 00	
5 to 6 ft	600 00	
6 to 7 ft\$10 each	20.00	
4 to 5 ft. 40 00 5 to 6 ft	10 00	
12 to 18 in. Cl	32 00	
erythrocarpon. I to 2 ft 1 50	12 00	
12 to 18 in 3 50		
macrocarpon. Mountain Cranberry. Clumps. 75	6 00 8 00	45 00
12 to 18 in. Cl	16 00	
• pennsylvanicum. 6 to 12 in	10 00	
stamineum. 6 to 12 in	8 00	
18 to 24 in. Cl 3 00	24 00	
2 to 3 ft. Cl 5 00	0.00	
Viburnum acerifolium. 1 to 2 ft	6 00 12 00	
1 to 2 ft. Cl 1 75	14 00	
2 to 3 ft. Cl	16 00 14 00	
2 to 3 ft. Cl	24 00	
3 to 4 ft	6 00	FA A0
	12 00	50 0 0 95 0 0
2 to 3 ft 1 75	14 00	
3 to 4 ft	16 00 24 00	
3 to 4 ft. Cl 4 00	30 00	
4 to 6 ft. Cl	55 00 6 00	
dentatum. 6 to 12 in	8 00	
2 to 3 tt 1 50	12 00	
3 to 4 ft	16 00	
molle, 2 to 3 ft 2 00		
3 to 4 ft	28 00	
3 to 4 ft	12 00	
	16 00	
4 to 6 ft 4 00	10.00	
prunifolium. 1 to 2 ft	16 00	
Vitis aestivalis. 6 to 12 in 1 00	8 00	
Vitis aestivalis. 6 to 12 in. 1 00 1 to 2 ft. 1 50 cordifolia. 6 to 12 in. 1 00	8 00	
1 to 2 ft 1 50	0 00	
heterophylla. 6 to 12 in., strong	8 00	
	12 00	
2 to 3 ft		
Wistaria frutescens. 1 to 2 ft 1 00		
Xanthorrhiza apiifolia. 3 to 6 in	4 00	30 00
5 to 12 in	5 00	40 00
3 to 6 in, Cl	8 00	45 00 60 00
12 to 18 in. Cl 1 50	12 00	95 00
Xolisma ligustrina. 1 to 2 ft 1 00	8 00 12 00	
1 to 2 ft. Cl 1 50	12 00	

HARDY HERBACEOUS PERENNIALS

Including Vines, Ferns, Aquatics, Orchids, Lilies and Bulbous Plants

	Per 10	100	1,000
Aconitum reclinatum	\$1 25		
uncinatum		\$5 00	
Acorus calamus		6 00	
Actaea alba	1 50	12 00	
rubra	2 00	16 00	
Adiantum pedatum. Strong Cl	1 00	8 (9)	
Allium cernuum. Strong			
Amsonia amsonia. Cl.		6 00	
Angelica curtisii		4 (10)	
Aquilegia canadensis. Cl.	75	6 00	
chrysantha. 1-yr. Strong. S	1 00	8 00	
Aralia nudicaulis		4 00	
quinquefolia. See Panax.			
racemosa. Strong Cl	75	6 00	
Archangelica hirsuta	75	6 00	
Arisaema triphyllum		6 00	
Artemisia gracilis			
Aruncus (Spiraea) aruncus		6 00	
Asclepias tuberosa	1 00	8 00	
Aspidium. See Dryopteris.			
Asplenium filix-foemina. Strong	. 75	6 00	
thelypteroides		6 00	
Aster, in variety, -cordifolius, curtisii, divar	r-		
icata, ericoides pilosa, macrophylla puniceus, umbellatus	. 75	4 00	\$30 00
porterii	1 00	+ 00	400,00
Astilbe decandra		5 00	
Athyrium thelypteroides. Strong		6 (0)	
Baptisia australis. Strong Cl		8 00	
tinetoria. Strong		6 00	
Bicuculla (Dicentra) canadensis		5 00	
cucullaria	. 75	5 00	
eximia. Clumps	. 1 00	8 00	
Botrychium virginicum	. 75	5 00	
Calapogon. See Limodorum.			
Caltha leptosepala. Marsh Marigold. Strong	. 1 25	10 00	
Calypso borealis		8 00	
Campanula divaricata. Harebell. Clumps	. 1 00	8 00	
Carex fraseri. Clumps		8 00	
Cassia marylandica	. 50	4 00	
Caulophyllum thalictroides. Col		5 00	
Chamaelirium luteum		6 00	
Chelone glabra and lyoni. Clumps		6 00	
Chrysamphora (Darlingtonia) californica.	. 4 00		
Chrosperma muscaetoxicum		4 00	
Cicuta maculata	. 50	4 00	
Cimicifuga americana		6 00	
racemosa		5 00	
Clematis coccinea			
crispa		* Ou	
virginiana. Strong	. 75	5 00	12-\$18
Clintonia borealis and umbellata		5 (10)	TD 416
Collinsonia canadensis. Strong		5 00	
Convallaria majalis		4 00	
Coreopsis lanceolata. Clumps		5 (10)	
major. Clumps		6 00	
roseus. Clumps		5 00	35 00
verticillata		5 (8)	
Cypripedium acaule. Light		3 (6)	20 00
Strong	1 (10)	8 00	50 00

HARDY HERBAGEOUS PERENNIALS, continued

HARDI HERBAGEOUS I ERENMAL	D 1	0 100	. 1	000
Completedium californioum	Per 1	0 \$15 0		000
Cypripedium californicumcalifornicum. Small Clumps		00 0	10	
fasiculatum. Light	20		00 \$25	00
hirsutum. Light	1 0		0 60	00
montanum	12	5 10 0	00	
parviflorum	10	0 0 0	00	
reginae (spectabile). 1 to 2 crowns	2 0			
3 to 4 crowns			00	
7 to 8 crowns	90	0 75 0	00	
Clumps with over 8 crowns 15c. per cro	wn			
Darlingtonia. See Chrysamphora.	William .		0 05	00
Dicksonia punctilobula. Clumps				00
Dionaea muscipula. Venus Fly-trap				
Dioscorea villosa. Strong				
Diphylleia cymosa				
Disporum lanuginosum				00
Dryopteris acrostichoides	7		10 33	00
angustifolia goldiana. Strong	10	0 8 0		-
marginalis	!		00 35	00
novaboracensis	10			00
Spinulosa				
Epigaea repens. Trailing Arbutus. Est. Cl			00	
Col. Cl	7	5 5 (00
Erythronium albidum	10		00	En
americanum	5	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00 12	50
californicum	5			00
			50 20	
grandinorum				00
hartweggii	7	5 3 (00 25	00
hendersonii revolutum. White, tinged purple Mixed Varieties	8			00
		5 5		00
Eupatorium ageratoides and perfoliatum		5 5 6 8		
purpureum. Clumps Euphorbia corollata		5 6		
Ferns. See Adiantum, Asplenium, Atl		THURSD		
rium Botrychium, Dickson	ia,			
Dryonteris, Onoclea, Osmun	da,			
Phegopteris Polypodiu Pteris, Woodwardia.				
Galax aphylla. Est. Cl.	10	00 8		00
Galax aphylla. Est. Cl		75 5		00
Gaultheria procumbens. Col. Cl		5 5	00 30	00
Gillenia. See Porteranthus.		N-TEN	H	
Glechoma (Nepeta) hederacea. Col		50 4		00 0
Gentiana andrewsii. Light		50 3 6 50 4		5 00
Strong Geranium fremontii. 1 yr., strong		00 *	0	- 50
maculatum		50 4	00 2	5 00
Geum radiatum		00 8	00	
Goodyeara. See Peramium.				
Habenaria ciliaris		75 6		5 00
psycodes	· · · · · ·	00 8		0.00
Helenium autumale. Col. Cl				00 0
Helianthus strumosus		50 4		00 0
Helonias bullata		50 4		00
Hepatica acuta			00	
Heuchera americana and villosa		75 5	00	
Hibiscus, crimson-eye, moscheutos, ro	se-	75 5	00	
pink		50 4	00	
Houstonia purpurea and serpyllifolia. Co	l			5 00
Hydrastis canadensis. Golden Seal			00	
Humulus lupulus. Col			00 3	0 00
Ipomoea pandurata	I	25 00 7	00 5	0 00
Iris cristata. Clumpslacustris			00	00

HARDY HERBACEOUS PERENNIALS, continued

	Po	r 10	100	1	1.0	inn
Iris missouriensis. Strong			\$8 0		1,0	VV
pseudacorus. Clumps		75	6 0			
verna. Clumps		75	5 0		\$40	00
versicolor. Clumps		75	5 0	0		
Lacinaria (Liatris) pilosa. Strong	. 1	00				
pycnostachya		75	6 0			
SDICALA		60	5 0			
spicata pumila squarrosa	. 1	75	6 0	0		
Leptandra virginica						
Leucocrinum montanum	. 2	00	-			
Liatris. See Lacinaria.						
Lilium bolanderi	. 5	0.0	35 0			
lst size	*	50 75	3 0		25	
canadense, var. rubra	. 1	00	8 0		60	
carolinianum. 3d size	. 1	50	3 5		25	
20 812e		75	5 0	0	40	
1st size	. 1	00	8 0		65	00
columbianum grayi. 2d size	. 2		15 0		45	00
grayi. 2d size	. 1	75 25	6 0		70	
humboldtii. 7 to 8 in. cir		00	15 0		110	
8 to 9 in. cir.	. 2	50	18 0		130	
9 in. and over	. 5	00	35 0		200	00
		00	35 0			
humboldtii, var. magnificumhumboldtii, var. bloomerianum	. 3	00	20 0			
Kellogmii	. 5	00	35 0			
maritimum	. 3	00	20 0		F0 .	00
pardalinum. 1 eye	. 1	25 50	9 0		50	00
pardalinum, var. johnsonii	. 3	00	18 0			
pardalinum, var. johnsonii parryii. Medium	. 5	00	35 0			
Large	7	00	50 0	0		
parvillorum	. 1	75	12 5			
parvum. Good. Large	. 3	00	20 0 35 0			
parvum, var. luteum	. 1	75	12 0			
philadelphicum		75	5 0		40	00
roezlii	. 2	50	18 0			
rubescens	. 5	00	35 0		10	
Superbum. 18t Size		75 50	5 0		25	
2d size		30	1 5		10	
3d size						
		00	15 00		110 (
8 to 9 in	. 3	00	20 00		130 (00
9 to 15 in	. 0		35 0			
Limodorum (Calopogon) tuberosum			7 00			
Lobelia cardinalis, syphilitica		75	5 00	0		
Medeola virginicum		75				
Melanthium parviflorum, virginicum		75	5 00	0		
Menispermum canadense. Moonseed		50	4 00	0		
Mertensia virginica	. 1	00	8 00	0		
Mitchella repens. Est. Cl.	. 1	25	10 00	0		
Col. Cl		75	5 00	0	40 (00
Monarda didyma	. 1	00	6 00	0		
In var	. 1	00	6 00	0		
Nuphar advena	. 1	50				
Onoclea sensibilis		75	5 00)	40 (00
Orchis spectabilis	1	50				
		25	10.00			
Orontium aquaticum. Golden Club		20	10 00	2		
Osmunda cinnamomea, claytoniana		0.0				
regalis		00	7 00	3		
Oxycoccus macrocarpon. See Vaccinium.						
Panax (Aralia) quinquefolium, Ginseng.	-	00	ne o			
XX size	. 4	50	35 00			
1st size	ī	50	11 00			
2d size	. 1	00	7 00)		
3d size		60	4 00)	35 (00
Peramium (Goodyeara) pubescens. Col	. 1	50	12 50)		
Phegopteris hexagonoptera		75	6 00	3		
		-		-		

HARDY HERBACEOUS PERENNIALS, continued

	Per	10	100	1,000
Phlox maculata. Clumps	\$1	00		
subulata alba. Clumps		25	\$10 00	
Physostegia virginiana		50	4 00	\$30 00
Podophyllum peltatum		50	4 00	30 00
Polygonatum biflorum		50	6 00	50 00
commutatum. Extra heavy		75 50	4 00	25 00
Polygonum eilinode		50	3 00	20 00
Polypodium vulgare. Col		50	4 00	25 00
Porteranthus (Gillenia) stipulatus		75	6 00	45 00
Potentilla tridentata. Clumps		75	6 00	45 00
Pteris aquilina		50	4 00	20 00
Pyrola rotundifolia. Col		00	8 00	
Rhexia virginica		75	6 00	45 00
Sagittaria latifolia		50	3 00	
Sanguinaria canadensis, Bloodroot, Strong		60	4 00	20 00
Sanguinaria is shipped entirely at cons		e's r	isk	
Sarracenia catesbaei, drummondii, flav psittacina, purpurea, rubra.		50	12 00	
Saxifraga micranthidifolia, michauxii	1		6 00	
Scrophularia marylandica		1	466	
Sedum telephioides. Strong		75 50	6 00	
ternatum. Col		00	25 00	
Shortia galacifolia. 1st size		50	12 00	90 00
Silene stellata		75	5 00	
virginica	1	00	8 00	
Solidago canadensis, bootii, bicolor, erect glomerata, nemerocalis, odor	a,			
glomerata,nemerocalis,odor	ra.			
patula, pallida, pubens, r gosa, rupestris	u.	75	5 00	
Sparganium ramosum		50	2 00	
Spigelia marylandica		00	15 00	
Stachys aspera		60	4 00	
Steironema ciliatum		60	4 00	
Stenanthium robustum. Mt. Feather Flee	ce.			
Stenanthium robustum. Mt. Feather Flee The finest new hardy perennial. troduced by Highlands Nursery. Se	In-			
troduced by Highlands Nursery. Se for special circular.	nd			
1-yr. S		50	4 00	
3d size	1		7 00	
2d size		44.00	12 00 20 00	
Stokesia cyanea		75	6 00	
Thalictrum dioleum		60	4 00	
Thermopsis caroliniana		00	8 00	
montana. 1-yr. S]			
		-	1 2 22	
Therofon aconitifolia. Clumps		50	4 00	
Tradescantia montana		75	5 00	
Trautvetteria carolinensis		50	4 00	
Trillium cernuumerect Wake Robin. Light		75 30	5 00	
- Strong		50	3 00	20 00
erectum album. Light		60	4 50	
grandiflorum. Light	1	20	7 00	
Strong		40	2 50	15 00
ovatum		50	3 50	
nivale	1	-	8 00	
recurvatum sessile, var. californicum		75	5 00 6 00	40 00
sessile, var. Snow Queen		80	6 00	
stylosum. Light		40	2 50	
Strong		75	5 00	30 00
undulatum		60	4 00	30 00
Triosteum perfoliatum		50	4 00	
Typha angustifolia	2	-	9 00	
latifolia		-	8 00	
Unifolium canadense	***	50	4 00	

HARDY HEBACEOUS PERENNIALS, continued

		20	200	24000
Uvularia perfoliata	\$0	75	\$5 00	
grandiflora	1	00	8 00	1
sessilifolia		75	5 00	
Vagneria racemosa. Strong		75	5 00	
Veratrum viride. Strong		75	5 00	moles!
Vinca minor. Col		60	4 00	\$30 00
Vernonia novaboracensis. Col	1	00	7 00)
Veronica officinalis and serpyllifolia		50	4 00)
Viola canadensis, hastata, pedata		75	5 (0)
pedata bicolor		50	12 00	-
sagittata				
Woodwardia virginica	1	00	7 00)
Yucca filamentosa		75	5 00)
filamentosa, var. concava. Strong Cl		00	16 00)
flaccida, Light		50	3 00	18 00
Clumps		00	8 00)
glauca. Strong			8 00)
Xerophyllum asphodeloides. Clumps			10 00)
CONTRACTOR OF THE PROPERTY OF			12 00	
Zigadenus leimanthoides		90	12 00	and the

Always Address

HARLAN P. KELSEY, Owner, SALEM, MASS.



* The hardiest Hybrid Rhododendrons, growing at Salem Branch Nursery